

‘Pendulum D.J.: [ˈpendjʊləm] 單擺 (複數 pendulums)

Sus’pension 懸掛、懸吊。暫停、中止

‘Frequency 頻率。Frequent 頻繁的、時常發生的
Vi’bration n. 振動、顫動. ‘vibrate v.

‘Amplitude [物理學] 振幅。廣大、廣闊、充足。

As’sume 假定為、(想當然地) 認為。承擔、就任。

55. S A pendulum of length L and mass M has a spring of force constant k connected to it at a distance h below its point of suspension (Fig. P15.55). Find the frequency of vibration of the system for small values of the amplitude (small θ). Assume the vertical suspension rod of length L is rigid, but ignore its mass.




Figure P15.55

‘rigidly 牢牢地,緊緊地.嚴格地;固執地。 located at 位於、座落於
 edge 邊,稜;邊緣.刀口.優勢。 As’sembly (機械的)裝配.集會;集合
 equ’librium 平衡。 ‘period DJ: [ˈpiəriəd]時期,期間.【美】句號

72. S A smaller disk of radius r and mass m is attached rigidly to the face of a second larger disk of radius R and mass M as shown in Figure P15.72. The center of the small disk is located at the edge of the large disk. The large disk is mounted at its center on a frictionless axle. The assembly is rotated through a small angle θ from its equilibrium position and released. (a) Show that the speed of the center of the small disk as it passes through the equilibrium position is

$$v = 2 \left[\frac{Rg(1 - \cos \theta)}{(M/m) + (r/R)^2 + 2} \right]^{1/2}$$




Figure P15.72

(b) Show that the period of the motion is

$$T = 2\pi \left[\frac{(M + 2m)R^2 + mr^2}{2mgR} \right]^{1/2}$$

‘oscillate v. 【物】振盪. oscillation n.

‘simple harmonic ‘motion (SHM) 簡諧運動

track 軌道;足跡

‘portion (一)部分

In phase 同相

‘segment 部分;部門;切片,斷片

75. **S** A block of mass M is connected to a spring of mass m and oscillates in simple harmonic motion on a frictionless, horizontal track (Fig. P15.75). The force constant of the spring is k , and the equilibrium length is ℓ . Assume all portions of the spring oscillate in phase and the velocity of a segment of the spring of length dx is proportional to the distance x from the fixed end; that is, $v_x = (x/\ell)v$. Also, notice that the mass of a segment of the spring is $dm = (m/\ell)dx$. Find (a) the kinetic energy of the system when the block has a speed v and (b) the period of oscillation.




Figure P15.75